









The Mohawk Group



StoneWalk™ PVC-FREE FLOORING. NO VOC'S.

More than a floor, it's an environmental solution.

More than a floor, it's an environmental solution.



STN-617
Pearl




STN-615
Cotton Tails



STN-640
Soft Beige



STN-642
Sand Castle



STN-644
Natural Rice




STN-647
Desert Tan



STN-649
Harvester



STN-673
Butterfield



STN-652
Clay Garnet



STN-654
Bullrush



STN-657
Copper Dust



STN-650
Sienna Russet



STN-689
Spruce Shadow




STN-685
Sage Provence




STN-683
Kiwi Truffle



STN-681
Spring Hue



STN-690
Blue Willow




STN-693
Lakeview




STN-603
Granite Falls




STN-633
Polished Pewter




STN-810
Tundra White




STN-840
Beige Tan




STN-844
Tuscany Beige



STN-842
Shale Taupe



STN-860
Washed Sand




STN-862
Umber Essence




STN-865
Terracotta Pot




STN-846
Moroccan Taupe




STN-885
Savannah Green




STN-883
Spruce Green



STN-895
Dusk Blue




STN-835
Dawn




STN-830
Granite Gray



STN-832
Earthen Gray



STN-892
Ice White



STN-820
Black Night



STN-644
Natural Rice



STN-844
Tuscany Beige

StoneWalk
TM



The environmentally friendly flooring alternative. Looking beyond the confines of manufacturing to a fully supported environmental initiative, StoneWalk was created as a totally holistic flooring system that is truly ecologically friendly, beautiful and true to life's vast and varied demands. With colors and patterns that emulate nature we present StoneWalk¹.

StoneWalk is a PVC-free flooring solution that brings warmth and design innovation to institutions across the continent while still maintaining the rugged and durable attributes today's applications demand. Designed specifically for ecologically conscious applications, StoneWalk maximizes designer resources while remaining true to its origins as a true "green" flooring alternative.

The U.S. Green Building Council is the nation's foremost coalition of leaders from across the building industry working to promote buildings that are environmentally responsible, profitable and healthy places to live and work. Mohawk is proud to be a recognized participant in this program and all of its ecological initiatives.



¹ Patent pending.

BeneFits

Unlimited Design Potential

Available in 36 colors, StoneWalk gives today's designers the tools they need to create durable and dynamic spaces.

Superior sound absorption

Specially engineered with inherent anti-fatigue, sound deadening and absorption properties, StoneWalk resists indentation and offers maximum durability.

Ecologically responsible

StoneWalk is PVC-free, features no plasticizers, emits no VOC's, and is made from an abundant source of natural resources.

Ease of installation

With its superior flex properties, StoneWalk is easier to install than traditional VCT. Thanks in part to the fact that it's easy to trim, simple to position, and resistant to handling damage.

Better light stability

As a result of its unique properties, StoneWalk offers better light stability and will not easily fade due to direct sunlight or increased temperatures.

Maximum comfort & durability

StoneWalk is lighter than VCT and allows for increased comfort under foot, all the while offering a high PSI rating that will resist light forklift traffic without cracking.

Dimensional stability


Because it's tougher than VCT, StoneWalk can be used to bridge minor sub floor irregularities. In fact, 0.080" thick will hide minor imperfections better than 1/8" VCT due to lower cold flow.

Superior smoke & flame resistance

With standards that meet ASTM-648/662 Class A, StoneWalk is giving institutions across the continent an ecologically responsible and safe alternative.



STN-846
Moroccan Taupe



STN-840
Beige Tan

StoneWalk is the next generation of flooring. Made from a mosaic of naturally abundant resources, StoneWalk offers the perfect blend of ecological responsibility and performance. Chlorine free, StoneWalk contains NO PVC (polyvinyl chloride), halogens or plasticizers and emits NO VOC's (volatile organic compounds) into the environment. Remaining true to the original concept of a totally holistic product, StoneWalk takes into account the reduced impact of resources, manufacturing, packaging, maintenance and recycling programs to meet today's stringent ecological requirements.¹

StoneWalk™

ArchitectSpecs

All StoneWalk Non-PVC tile(s) shown on the finish schedule or otherwise listed herein, shall be furnished by The Mohawk Group, 500 TownPark Lane, Suite 400, Kennesaw, GA 30144. All StoneWalk Non-PVC tile(s) shown on the finish schedule or otherwise listed herein shall be free of PVC (Polyvinyl Chloride), halogens, plasticizers and asbestos and will not emit VOC's (volatile organic compounds) into the environment. All StoneWalk Non-PVC tile(s) shall be 12" x 12" (305 mm x 305 mm) and 0.080" (2 mm) in gauge in (specify: color) with the pattern and color extending throughout the full thickness of the tile.

INSTALLATION

Mohawk StoneWalk Non-PVC tile(s) must be installed in accordance with the manufacturer's specifications, including sub floor preparation and recommended adhesives. Complete product installation procedures, including sub floor preparations and adhesive application are available in the Mohawk StoneWalk installation and floor preparation instructions.

MAINTENANCE

Mohawk StoneWalk Non-PVC flooring requires simple regular cleaning and maintenance to retain the original appearance. For further details on correct maintenance procedures, refer to Mohawk StoneWalk Maintenance Instructions.

WARRANTY

Mohawk warrants that first quality commercial flooring material, StoneWalk Non-PVC flooring is guaranteed not to wear out within five (5) years from the date of purchase, as long as the said tile(s) are of first quality and are installed and maintained in accordance with the recommendations of Mohawk as set out in the installation and maintenance instructions.

TechSpecs

Sizes	12" X 12" (305 mm X 305 mm)
Gauge	2 mm
Colors	36
Surface Profile	Smooth
PVC - Polyvinyl Chloride	NONE
Plasticizers	NONE
VOC's - Volatile Organic Compounds	NONE
ASTM F-1066 - Modified for NON Vinyl Compound	Class 2
ASTM E-84 - Flame Development	Class 1
ASTM E-648 - Critical Radiant Flux	>0.45
ASTM E-662 - Smoke Density	Class 1 ≤450
ASTM F-510 - Abrasion Resistance	Exceeds standard
ASTM D-2047 - Static Coefficient of Friction	Exceeds standard
ASTM F-970 - Static Load Limit	2,000 PSI
ASTM F-925 - Chemical Resistance	Excellent
ASTM F-1515 - Light Stability	Excellent
ASTM F-142 - Indentation	Exceeds standard
ASTM F-1265 - Resistance to Impact	Excellent
Limited Wear Warranty	5 Years



The Mohawk Group

500 TownPark Lane, Suite 400 • Kennesaw, GA 30144 • 800.554.6637 • mohawkgroup.com

Customer Service: 877.235.0453 Samples: 888.740.6936 Fax: 877.244.8054

KARASTAN LEES Bigelow DURKAN

SLT0002656

¹ Patent pending.

FloorScore and the FloorScore logo are certification marks of the Resilient Floor Covering Institute.

STNB BRO
Issued 03/06
REV. 10/08
Printed in Canada