

# Bigelow

## UPS RE / EVERSET RE

Charm - MQ083

Surreal - MQ067

Stati-Tuft III - MQ038

QUICKSHIP



### Quickship Broadloom Service Parameters

- :: Up to 500 yards available for shipment in 3 business days
- :: 501 - 1000 yards ship within 7 business days





Charm




8556 Stirring Blue



8575 Warm Blue



8658 Excitable Brown



8683 Surprise Brown



8718 Affection Tan

PRODUCT SPECIFICATIONS

Style Name .....	Charm	Weight Density .....	193,154
Style Number .....	MC083	Backing Material .....	Ultra Performance System RE™
Collection Name .....	Emotions	Pattern Repeat .....	.38" (W) X .63" (L)
Product type .....	Broadloom	Width .....	12' (3.66 M)
Construction .....	Ultra Performance System RE™	Flammability .....	ASTM E 648 Class 1 (Glue Down)
Surface Appearance .....	Textured Patterned Loop	Smoke Density .....	ASTM E 662 Less than 450
Nylon Type .....	Colorstrand® Nylon	Static Propensity .....	AATCC-134 Under 3.5 KV
Fiber System .....	EverSet® Fibers by Mohawk	IAQ Green Label .....	40904952
Gauge .....	1/10 (39.37 rows per 10 cm)	IAQ Green Label Plus .....	4952
Pile Weight .....	26.0 oz. per sq. yd. (882 g/m <sup>2</sup> )	CRI Rating .....	Severe Traffic
Pile Thickness .....	.126" (3.20 mm)	Warranties: Lifetime Ultra Performance System Warranty, Lifetime EverSet Warranty, Lifetime Static	
Stitches Per Inch .....	10.3 (40.55 per 10 cm)		
Dye Method .....	Solution Dyed/Space Dyed		
Protective Treatment .....	Sentry Plus		
Density .....	7,429		



Stati-Tuft III EverSet



8122 Sunset Beach



8338 Garnet




8503 Dockside



8547 Seaspray



8555 Atlantis



8568 Aquarium



8646 Cypress



8707 Dovegray



8831 Pebble



8972 Gravel



8985 Granite



8986 Beach Glass

PRODUCT SPECIFICATIONS

Style Name .....	Stati-Tuft III EverSet
Product Type .....	Broadloom
Construction .....	Ultra Performance System RE™
Surface Appearance .....	Textured Multicolored Loop
Nylon Type .....	Fortis Type 6,6 Nylon
Fiber Tech .....	EverSet® Fibers by Mohawk
Gauge .....	1/8 (31.50 rows per 10 cm)
Pile Weight .....	28.3 oz. per sq. yd. (960 g/m <sup>2</sup> )
Pile Thickness .....	.145" (3.68 mm)
Stitches Per Inch .....	8.4 (33.67 per 10 cm)
Dye Method .....	Yarn Dyed
Protective Treatment .....	Sentry Plus
Density .....	7,026
Weight Density .....	198,835

Backing Material .....	Ultra Performance System RE™
Pattern Repeat .....	None
Width .....	12' (3.66)
Flammability .....	ASTM E 648 Class 1 (Glue Down)
Smoke Density .....	ASTM E 662 Less than 450
Static Propensity .....	AATCC-134 Under 3.5 KV
IAQ Green Label .....	40904952
IAQ Green Label Plus.....	4952
CRI Rating.....	Severe Traffic
Warranties: Lifetime Ultra Performance System Warranty, Lifetime Static, Lifetime EverSet® Stain Warranty	



Surreal EverSet



543 Mystic



563 Illusions



643 Avante Garde



651 Psyche



749 Neutrality



853 Symbolism



954 Mystery

PRODUCT SPECIFICATIONS

Style Name ..... Surreal EverSet  
 Product type ..... Broadloom  
 Construction ..... Ultra Performance System RE™  
 Surface Appearance ..... Level Multicolored Loop  
 Nylon Type ..... Colorstrand® Nylon  
 Fiber Tech ..... EverSet® Fibers by Mohawk  
 Gauge ..... 1/10 (39.37 rows per 10 cm)  
 Pile Weight ..... 30.0 oz. per sq. yd. (1017 g/m2)  
 Pile Thickness ..... .126" (3.20 mm)  
 Stitches Per Inch ..... 8.7 (34.25 per 10 cm)  
 Dye Method ..... Solution Dyed/Yarn Dyed  
 Protective Treatment ..... Sentry Plus  
 Density ..... 8,571  
 Weight Density ..... 257,130

Backing Material ..... Ultra Performance System RE™  
 Pattern Repeat ..... .8" (W) x 1.0" (L)  
 Width ..... 12' (3.66 M)  
 Flammability ..... ASTM E 648 Class 1 (Glue Down)  
 Smoke Density ..... ASTM E 662 Less than 450  
 Static Propensity ..... AATCC-134 Under 3.5 KV  
 IAQ Green Label ..... 40904952  
 IAQ Green Label Plus ..... 4952  
 CRI Rating ..... Severe Traffic  
 Warranties: Lifetime Ultra Performance System Warranty, Lifetime Static, Lifetime EverSet® Stain Warranty