 The Mohawk Group

# MOHAWK HARD SURFACES

The beauty and strength of Mohawk's hard surface floorings.

## VCT



## Sheet Vinyl



## Luxury Tile



### VCT (Vinyl Composition Tile)

The word that best describes VCT is Available. VCT comes in a broad spectrum of colors to complement your carpets and it is available in many textured patterns. Plus it is available nationwide from our ten plus Regional warehouses and 30 plus satellite warehouses.

- 250 PSI (lbs. per sq. inch)
- Multi-colors are in the standard price category
- 15 to 20 percent Pre-consumer content
- Up to 199 cartons out of warehouse
- Truckload pricing starting at 200 cartons
- FloorScore Certified

### Sheet Vinyl

Superior felt backing – easier to handle / will crack less / installer friendly. Plus it is available nationwide from our ten plus Regional warehouses and 30 plus satellite warehouses.

**Heterogeneous Flor-Ever Plus,** Contains silver for Anti-Microbial protection & Aluminum Oxide for increased performance.

- 20 Mil wear layer
- Low maintenance
- Chemical weld
- Can cove on wall
- 12' wide
- FloorScore Certified


### Luxury Tile

Don't let the beauty of the floor fool you, this tile can withstand more pressure than any of our offerings.

- 2,500 PSI (lbs. per sq. inch)
- 20 Mil wear layer
- 30 Mil wear layer
- Low Maintenance
- Polyurethane coating / reduces scuffing and maintenance
- 100% Pre-consumer recycled content
- 20 year / 10 year warranty
- FloorScore Certified

## Rubber Flooring

## StoneWalk



### Rubber Tile

Versatile and flexible, Rubber Tile is ideal for high traffic and high impact areas. Damaged / worn areas are easily replaced by popping out the old dropping in the new.

- Contains sulphur that resists bacterial contamination
- 18x18's are Micro ground (edge sanded) for a more monolithic appearance
- 5% Pre-consumer content
- 10 year warranty (5 year warranty / Sports Floor)
- FloorScore Certified

### Wall Base

- Available in rubber
- 2 1/2", 4" & 6" Heights
- Coved
- Coils or Strips

### Sheet Rubber

Constructed to perform – Medi-Flex & Medi-Flex II can withstand under the most challenging environments.


- 1,100PSI (lbs per sq. inch)
- Homogeneous / Resistant barrier to water and contaminants
- Contains sulphur that resists bacterial contamination
- Chemical / Heat weld seams  
Can be coved on wall (completely sealed floor)
- Low maintenance / Dry buff / Wax is built in
- PVC free with low VOC emissions
- 10 year warranty
- Medi-Flex 5' x 60'
- Medi-Flex II 5' x 60' & 19" x 19"
- Available in 2mm & 3mm
- FloorScore Certified

### StoneWalk (Non PVC Tile)

The Crown Jewel of our hard surface offerings, StoneWalk has no PVC, no Plasticizers and no VOC's

- 2,000 PSI (lbs. per sq. inch)
- 2005 Top Ten Green Building Product
- Available in 12" x 12" & 18' x 18'
- Easier to trim, fit, cut & position
- Edges are micro ground (edge sanded) for a more monolithic appearance
- Four times quieter and more comfort under foot than VCT
- More dimensionally stable
- 45% Pre-consumer content
- More resistance to abrasion, wear, smoke, flame & light
- Tough enough for forklift traffic
- FloorScore Certified



 The Mohawk Group

KARASTAN

LEES

Bigelow

 DURKAN

THE MOHAWK GROUP 1975 WEST OAK CIRCLE, MARIETTA, GEORGIA 30062 • 800-554-6637

[WWW.MOHAWKGROUP.COM](http://WWW.MOHAWKGROUP.COM)

HARDS NA NA LT SLT0001347